## **IN THE CLAIMS:**

Please amend claims 1 and 30, as show below.

The pending claims in this application are:

- 1. (Currently Amended) A method of treating healed wounds so as to prevent or reduce scarring and/or improve the appearance of scars comprises; applying onto a healed wound a composition comprising a fluid, film-forming carrier, and subsequently hardening the carrier into a tangible membrane juxtaposed to the healed wound thereby reducing scarring or improving the appearance thereof.
- 2. (Original) The method of claim 1, wherein the film-forming carrier comprises Collodion or Flexible Collodion.
- 3. (Original) The method of claim 1, wherein said composition is applied onto the healed wound by brushing, rolling, extruding or applying drops of said composition.
- 4. (Original) The method of claim 3, wherein said composition is applied to the healed wound by brushing.
- 5. (Original) The method of claim 1, wherein said composition includes an active ingredient capable of reducing scarring or improving the appearance of scars selected from a topical steroid, silicone-gel, vitamin and mixtures thereof.
- 6. (Original) The method of claim 5, wherein said active ingredient includes a corticosteroid or a pharmaceutically acceptable salt thereof.

- 7. (Original) The method of claim 5, wherein said active ingredient comprises a combination of a topical steroid and silicone-gel.
- 8. (Original) The method of claim 5, wherein said active ingredient is a silicone-gel.
- 9. (Original) The method of claim 7, wherein said composition further includes vitamin E.
- 10. (Original) The method of claim 1, wherein said film-forming carrier is a cellulosic derivative.
- 11. (Original) The method of claim 10, wherein said cellulosic derivative is nitrocellulose.
- 12. (Original) The method of claim 10, wherein said cellulosic derivative is methyl cellulose.
- 13. (Original) The method of claim 1, wherein said film-forming carrier comprises a silicone resin.
- 14. (Original) The method of claim 1, wherein said healed wound comprises a hypertrophic scar.

Joel R. Studin Serial No. 10/829,316

- 15. (Original) The method of claim 1, wherein said healed wound is one formed after surgery.
- 16. (Original) The method of claim 1, wherein said healed wound is formed after accidental trauma.
- 17.-29. (Previously Cancelled)
- 30. (Currently Amended) A method of treating healed wounds so as to prevent or reduce scarring and/or improve the appearance of scars comprises: applying onto a healed wound a topical composition comprising collagenase.
- 31. (Original) The method of claim 30, wherein said topical composition comprises collagenase contained within a fluid, film-forming carrier, subsequent to applying said composition onto said healed wound, hardening said carrier into a tangible membrane juxtaposed to the healed wound.
- 32. (Original) The method of claim 30, wherein said topical composition comprises collagenase contained within a topical creme, ointment, lotion or gel.
- 33.-54. (Previously Cancelled)